Appl. N . 09/759,395
Amdt. Dated April 12, 2004
Reply to Office Action of Feb. 10, 2004

This listing of claims will replace all prior versions, and listings, of claims in the application:

<u>Listing of Claims:</u>

1.   (Original)   A method for improving cardiac performance associated with a current set of N pacing parameters by adjusting the N cardiac pacing parameters, where N is an integer greater than one, the method comprising the steps of:

(a)   determining cardiac performance associated with the current set of N pacing parameters;

(b)   repeating steps (c) through (e) for i = one to N, where i represents which of the N pacing parameter is being adjusted;

(c)   incrementing an i^{th} pacing parameter in the current set of N pacing parameters based on a corresponding i^{th} increment value to thereby produce an i^{th} set of test pacing parameters;

(d)   determining a cardiac performance associated with the i^{th} set of test pacing parameters;

(e)   updating the i^{th} increment value based on the cardiac performance associated with the i^{th} set of test pacing parameters; and

(f)   updating the current set of N pacing parameters based on the updated increment values determined in step (e).

2.   (Original)   The method of claim 1, wherein step (e) comprises the step of updating the i^{th} increment value based on the difference between the cardiac performance associated with the current set of N pacing parameters and the cardiac performance associated with the i^{th} set of test pacing parameters.

3.   (Original)   The method of claim 1, wherein step (e) comprises the step of updating the i^{th} increment value based on:

the i^{th} increment value used in step (c), and

the difference between the cardiac performance associated with the current set of N pacing parameters and the cardiac performance associated with the i^{th} set of test pacing parameters.

4.   (Original)   The method of claim 3, wherein step (e) comprises the step of updating the i^{th} increment value based on the equation:

$$\delta_i \leftarrow k \bullet \delta_i \bullet (P_i - P_0)$$

where,

δ_i is the i^{th} increment value,

k is a predetermined constant scale factor,

P_i is a measure of the cardiac performance associated with i^{th} set of test pacing parameters as determined in step (d),

P_0 is a measure of the cardiac performance associated with the current set of N pacing parameters as determined in step (a), and

$\leftarrow$ denotes replacement.

5.   (Original)   The method of claim 1, wherein step (e) comprises the step of updating the i^{th} increment value based on one of the following equations:

(1) $\delta_i \leftarrow \delta_i$ if $P_i > P_0$, otherwise $\delta_i \leftarrow -\delta_i$, and

(2) $\delta_i \leftarrow \delta_i$ if $P_i \geq P_0$, otherwise $\delta_i \leftarrow -\delta_i$,

where,

δ_i is the i^{th} increment value,

P_i is a measure of the cardiac performance associated with i^{th} set of test pacing parameters as determined in step (d),

Page 3 of 10

P_0 is a measure of the cardiac performance associated with the current set of N pacing parameters as determined in step (a), and

$\leftarrow$ denotes replacement.

6.   (Original)   The method of claim 1, further comprising the step of:

(g)   repeating steps (a) through (f).

7.   (Original)   The method of claim 1, further comprising the step of:

(g)   repeating steps (a) through (f) until each of the updated increment values determined in step (e) is less than a predetermined threshold value.

8.   (Original)   The method of claim 1, further comprising the step of:

(g)   repeating steps (a) through (f) until a difference between the cardiac performance associated with the current set of N pacing parameters and the cardiac performance associated with the i^{th} set of test pacing parameters is less than a predetermined threshold value for all i between 1 and N inclusive.

9.   (Original)   A method for improving cardiac performance associated with a current set of N pacing parameters by adjusting the N cardiac pacing parameters, where N is an integer greater than 1, the method comprising the steps of:

(a)   determining cardiac performance associated with the current set of N pacing parameters;

(b)   incrementing the i^{th} pacing parameter in the current set of N pacing parameters based on an i^{th} increment value, to thereby produce an i^{th} set of test pacing parameters, wherein i is an integer between 1 and N inclusive;

(c)   determining cardiac performance associated with the i^{th} set of test pacing parameters;

(d)   updating the i^{th} increment value;

Page 4 of 10

(e)   updating the current set of N pacing parameters based on the updated i^{th} increment value determined in step (d); and

(f)   repeating steps (a) through (e) for all N pacing parameters.

10.   (Original)   The method of claim 9, wherein step (d) comprises the step of updating the i^{th} increment value based on the difference between the cardiac performance associated with the current set of N pacing parameters and the cardiac performance associated with the i^{th} set of test pacing parameters.

11.   (Original)   The method of claim 9, wherein step (d) comprises the step of updating the i^{th} increment value based on:

the i^{th} increment value used in step (c), and

the difference between the cardiac performance associated with the current set of N pacing parameters and the cardiac performance associated with the i^{th} set of test pacing parameters.

12.   (Original)   The method of claim 11, wherein step (d) comprises the step of updating the i^{th} increment value based on the equation:

$$\delta_i \leftarrow k \cdot \delta_i \cdot (P_i - P_0)$$

where,

δ_i is the i^{th} increment value,

k is a predetermined constant scale factor,

P_i is a measure of the cardiac performance associated with i^{th} set of test pacing parameters as determined in step (d),

P_0 is a measure of the cardiac performance associated with the current set of N pacing parameters as determined in step (a), and

$\leftarrow$ denotes replacement.

13.   (Original)   The method of claim 9, wherein step (d) comprises the step of updating

the i^{th} increment value based on one of the following equations:

(1) $\delta_i \leftarrow \delta_i$ if $P_i > P_0$, otherwise $\delta_i \leftarrow -\delta_i$, and

(2) $\delta_i \leftarrow \delta_i$ if $P_i \geq P_0$, otherwise $\delta_i \leftarrow -\delta_i$,

where,

δ_i is the i^{th} increment value,

P_i is a measure of the cardiac performance associated with i^{th} set of test pacing

parameters as determined in step (d),

P_0 is a measure of the cardiac performance associated with the current set of N pacing

parameters as determined in step (a), and

$\leftarrow$ denotes replacement.

14.   (Original)   The method of claim 9, further comprising the step of:

(g)   repeating steps (a) through (f).

15.   (Original)   The method of claim 9, further comprising the step of:

(g)   repeating steps (a) through (f) until each of the updated increment values

determined in step (d) is less than a predetermined threshold value.

16.   (Original)   The method of claim 9, further comprising the step of:

(g)   repeating steps (a) through (f) until a difference between the cardiac performance

associated with the current set of N pacing parameters and the cardiac performance associated

with the i^{th} set of test pacing parameters is less than a predetermined threshold value for all i

between 1 and N inclusive.

17.   (Original)   A method for improving cardiac performance associated with a current set

of N pacing parameters by adjusting the N cardiac pacing parameters, where N is an integer, the

method comprising the steps of:

Page 6 of 10

(a)   determining cardiac performance associated with the current set of N pacing parameters;

(b)   determining a random test set of N pacing parameters;

(c)   determining cardiac performance associated with the test set of N pacing parameters; and

(d)   replacing the current set of N pacing parameters with the test set of N pacing parameters if the cardiac performance associated with the test set of N pacing parameters is greater than the cardiac performance associated with the current set of N pacing parameters.

18.   (Original)   The method of claim 17, wherein step (b) comprises selecting N values from a plurality of predefined values, the selected N values comprising the random test set of N pacing parameters.

19.   (Original)   The method of claim 17, further comprising the step of:

(f)   repeating steps (a) through (e).

20.   (Original)   The method of claim 17, further comprising the step of:

(f)   repeating steps (a) through (e) until, for a predetermined number of consecutive times, the cardiac performance associated with the test set of N pacing parameters is not greater than the cardiac performance associated with the current set of N pacing parameters.

21.   (Original)   The method of claim 17, wherein step (b) comprises the steps of:

i.   determining a set of N random increment values; and

ii.   incrementing the pacing parameters in the current set of N pacing parameters using the set of N random increment values, to thereby produce the random test set of N pacing parameters.

22.   (Original)   The method of claim 21, wherein step (b)i. comprises selecting N values from a plurality of predefined values, the selected N values comprising the set of N random increment values.

23.   (Original)   The method of claim 21, further comprising the step of:

(f)   repeating steps (a) through (e).

24.   (Original)   The method of claim 21, further comprising the step of:

(f)   repeating steps (a) through (e) until, for a predetermined number of consecutive times, the cardiac performance associated with the test set of N pacing parameters is not greater than the cardiac performance associated with the current set of N pacing parameters.

        ii.   incrementing the pacing parameters in the current set of N pacing parameters using the set of N random increment values, to thereby produce the random test set of N pacing parameters.

25-37.   (Withdrawn)